PDF-XChange
Click to buy NOW!
www.docu-track.com

Le maraîchage sur sol vivant



Par Gilles Domenech

Mane 22 mars 2013

PDF-XChange
Click to buy NOW!
www.docu-track.com

PDF-XChange
Click to buy NOW!
www.docu-track.com

Le Sol Vivant

PDF-XChange
Click to buy NOW!
www.docu-track.com

PDF-XChange
Click to buy NOW!
www.docu-track.com

Les organismes du sol





PDF-XChange
Click to buy NOW!
www.docu-track.com

La transformation des matières organiques

La structuration du sol

La gestion des nutriments

Rôles agronomiques de la vie des sols

PDF-XChange
Click to buy NOW!
www.docu-track.com

PDF-XChange
Click to buy NOW!
www.docu-track.com

Comment cultiver avec la vie du sol ?

Réduire les perturbations

Nourrir ces organismes

PDF-XChange
Click to buy NOW!
www.docu-track.com

PDF-XChange
Click to buy NOW!
www.docu-track.com



PDF-XChange
Click to buy NOW!
www.docu-track.com

Litière de surface en grandes cultures

Céréales d'hiver : 4 à 6 t MS/ha/an
Maïs/sorgho : jusqu'à 20 t MS/ha/an
Oléagineux : 0,6 à 1,2 t MS/ha/an

PDF-XChange
Click to buy NOW!
www.docu-track.com

Litière de surface en maraîchage

Légumes racines et certains légumes feuilles : 0
Tomates : 0,2 t MS/ha/an (ADEME)

PDF-XChange
Click to buy NOW!
www.docu-track.com

Litière de surface comparaison maraîchage/grandes cultures



PDF-XChange
Click to buy NOW!
www.docu-track.com



PDF-XChange
Click to buy NOW!
www.docu-track.com
PDF-XChange
Click to buy NOW!
www.docu-track.com